


Colognia

Guide

for data preparation for peel-off labels



Guide for data preparation for peel-off labels

Sample label - two layer peel-off labels

Color count for Peel-off labels:

Front sides: Flexo technology - 7 ink max (excluding release varnish)


Digital technology - without limitation

Back sides: Maximum ink count is 2

General requirements for data:

- CMYK color space used, PANTONE definition for spot colors
- bitmap resolution at least 300 dpi
- 2 mm bleed

Top side of 1st layer



Bottom side of 1st layer

Text should be placed at least 2 mm from the edge or from bonding area

Only linework should be used (printed into glue)

Peel-off area (glue is eliminated by print over) - usually printed in same color as other graphics on this side Colognia press is a dynamic printing company seated in Kolin. Built from scratch it has developed into an enterprise of 129 employees, annual sales of 40K orders and a turnover of 370 millions CZK (14,3 million EUR). It runs its business mostly in Czech Republic with activities within EU as well. We do our best to meet the expectations of our customers and to propose ideal solutions to them. Labels aren't just goods to be manufactured and delivered but they are an important part of the customer's manufacturing process.

Bonding area - at least 5 mm

Maximum ink count is 2

Top side of 2nd layer

No graphics on bonding area to allow for correct adhesion of layers



Text should be placed at least 2 mm from the edge or from bonding area

Peel-off label with 3 layers:

Same rules apply for both sides of the 3rd layer as the 2nd layer of 2 layer peel-off labels (as described above)